



# BIO-CHEM CHEMICALS

Office Address: 5455, Nicholson Road Science Market , Ambala Cantt.133001 Haryana(India) ,  
Contact no: +91-8295241953, +91-7404210730

## CERTIFICATE OF ANALYSIS

<b>Product Name</b>	<b>PHLOROGLUCINOL 99% AR</b>
<b>Code No.</b>	<b>B-02000</b>
<b>Batch No.</b>	<b>BC12232232</b>
<b>Mfg.Date</b>	<b>JAN-2024</b>
<b>Date of Analysis</b>	<b>10/10/2024</b>
<b>Retest Date</b>	<b>DEC-2028</b>

TEST	SPECIFICATION	RESULT
Appearance	White to yellowish white powder	Yellowish white powder
Assay	Min 99.0%	99.83%
Melting range	215 - 220 °C	219 °C
Diresorcine	Passes test	Complies
Sulphated ash	Max 0.1%	0.068%
Sulphated ash	Max 1%	0.53%

REMARK: This product complies as per the specifications of **BIO-CHEM CHEMICALS**.

**This is an electronically generated certificate and is valid without a signature.**

For Issues relating to quality you may send us a mail on [info@biofinechemical.com](mailto:info@biofinechemical.com) or call on  
**+91-7404210730** Website- [www.biofinechemical.com](http://www.biofinechemical.com)