

BIO-CHEM CHEMICALS

Office Address: 5455, Nicholson Road Science Market , Ambala Cantt.133001 Haryana(India) ,
Contact no: +91-8295241953, +91-7404210730

CERTIFICATE OF ANALYSIS

Product Name	TIRON AR METAL (PM) INDICATOR
Cas No.	149-45-1
Code No.	B-02711
Batch No.	BC12232232
Mfg.Date	OCT-2024
Date of Analysis	01/04/2024
Retest Date	SEP-2028

TEST	SPECIFICATION	RESULT
Appearance	White to off -white powder	Off -white powder
Identity (UV/VIS spectrum)	Passes test	Passes
Absorption maxima (buffer pH 2.5)	290 - 291 nm	290 nm
Specific absorptivity A 1%/1cm (lmax; 0.005%; buffer pH 2.5; calculated on dried substance)	100 - 125	115
Water (by KF)	4.5 - 6.5 %	5.2%
Suitability (as indicator for metal titration)	Passes test	Passes

REMARK: This product complies as per the specifications of **BIO-CHEM CHEMICALS**.

This is an electronically generated certificate and is valid without a signature.

For Issues relating to quality you may send us a mail on **info@biofinechemical.com** or call on **+91-7404210730** Website- www.biofinechemical.com