

Office Address: 5455, Nicholson Road Science Market , Ambala Cantt.133001 Haryana(India) , Contact no: +91-8295241953, +91-7404210730

## **CERTIFICATE OF ANALYSIS**

Product Name	TRIS BUFFER 99.5% AR
Cas No.	77-86-1
Code No.	B-02782
Batch No.	BC10241674
Mfg.Date	NOV-2024
Date of Analysis	18/11/2024
Retest Date	DEC-2029

TEST	<b>SPECIFICATION</b>	RESULT
Appearance	White crystalline powder	White crystalline powder
Assay (by HClO4	Min 99.5%	99.65%
titration; on anhydrous		
basis)		
pH (5% solution in	10 - 11	10.56
water)		
Absorptivity at 250 nm	Passes test	Passes
- 440 nm (A 1%/1cm;		
10% in water)		
Melting point	169 - 171°C	170°C
Chloride (Cl)	Max 0.001%	0.0002%
Sulphated ash	Max 0.01%	0.004%
Water (H2O	Max 0.5%	0.036%

REMARK: This product complies as per the specifications of **BIO-CHEM CHEMICALS**.

This is an electronically generated certificate and is valid without a signature.

For Issues relating to quality you may send us a mail on **info@biofinechemical.com** or call on **+91-7404210730** Website- **www.biofinechemical.com**