



BIO-CHEM CHEMICALS

Office Address: 5455, Nicholson Road Science Market , Ambala Cantt.133001 Haryana(India) ,
Contact no: +91-8295241953, +91-7404210730

CERTIFICATE OF ANALYSIS

Product Name	DICHLORO METHANE AR
Cas No.	1811-28-5
Code No.	B-00969
Batch No.	BC10241075
Mfg.Date	NOV-2024
Date of Analysis	30/11/2024
Retest Date	DEC-2029

TEST	SPECIFICATION	RESULT
Appearance	A clear colorless liquid	A clear colorless liquid
Assay	98.0%	99.95%
Colour scale	Max 10	7.0
Weight/ mL at 20°C	1.323 - 1.325 g	1.324
Water (H₂O)	Max 0.02%	0.010%
Acidity (as HCl)	Max 0.001%	0.0007%
Refractive index (20°C; 589 nm)	1.424 - 1.425	1.4242
Non volatile matter	Max 0.001%	0.0006%
Free chlorine (Cl)	Max 0.0001%	0.00008%
Formaldehyde (HCHO)	Max 0.0001%	0.00005%
Copper (Cu)	Max 0.00001%	0.000004%
Iron (Fe)	Max 0.0001%	0.00006%

REMARK: This product complies as per the specifications of **BIO-CHEM CHEMICALS**.

This is an electronically generated certificate and is valid without a signature.

For Issues relating to quality you may send us a mail on info@biofinechemical.com or call on
+91-7404210730 Website- www.biofinechemical.com