

Beryllium AAS in HNO3

MATERIAL SAFETY DATA SHEET SDS/MSDS

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifiers

Product name : Beryllium AAS in HNO3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Industrial & for professional use only.

1.3 Details of the supplier of the safety data sheet

Company : Bio-Chem Chemicals

5455, Nicholson Road Science Market, Ambala Cantt. 133001 Haryana (India)

Telephone : +91-82952 41953

Email : info@biofinechemical.com

1.4 Emergency telephone number

Emergency Phone # : +91 99921 51495 (10.00am - 06.30pm) (Office Hours)

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]

Acute toxicity, Inhalation (Category 3)

Skin irritation (Category 2)
Eye irritation (Category 2)
Skin sensitization (Category 1)

Carcinogenicity, Inhalation (Category 1B)

Specific target organ toxicity - repeated exposure (Category 2)

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Toxic by inhalation. May cause cancer by inhalation. Harmful: danger of serious damage to health by prolonged exposure through inhalation. May cause sensitization by skin contact. Irritating to eyes and skin.

2.2 Label elements

2.1

Labelling according Regulation (EC) No 1272/2008 [CLP]

Pictogram

Signal word Danger

Hazard statement(s)

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H350i May cause cancer by inhalation.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statement(s)

Obtain special instructions before use P201

none

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P261

Wear protective gloves. P280

IF IN EYES: Rinse cautiously with water for several minutes. P305 + P351 + P338

Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER or doctor/ physician. P311

Supplemental Hazard

Statements

Restricted to professional users.

According to European Directive 67/548/EEC as amended.

Hazard symbol(s)

R-phrase(s)

R49 May cause cancer by inhalation.

Also toxic by inhalation. R23

Also harmful: danger of serious damage to health by prolonged exposure R48/20

through inhalation.

R36/38 Irritating to eyes and skin.

R43 May cause sensitization by skin contact.

S-phrase(s)

S53 Avoid exposure - obtain special instructions before use.

S26 In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

S36/37 Wear suitable protective clothing and gloves.

S45 In case of accident or if you feel unwell, seek medical advice immediately

T+, N, Carc.Cat.2, R49 - R25 -R26 - R36/37/38 - R43 -R48/23 - R51/53

(show the label where possible).

Restricted to professional users.

2.3 Other hazards - none

3. COMPOSITION/INFORMATION ON

INGREDIENTS 3.2 Mixtures

Component		Classification	Concentration	
Nitric acid				
CAS-No. EC-No.	7697-37-2 231-714-2	Ox. Liq. 3; Skin Corr. 1A; H272, H314	1 - 5 %	
Index-No.	007-004-00-1	O, C, R 8 - R35		
Hexakis[µ-(acetato-o:o')]-µ4-oxotetraberyllium				
CAS-No.	19049-40-2	Acute Tox. 3; Acute Tox. 2;	1 - 2,5 %	
EC-No.	242-785-4	Skin Irrit. 2; Eye Irrit. 2; Skin		
Index-No.	004-002-00-2	Sens. 1; Carc. 1B; STOT SE		
		3; STOT RE 1; Aquatic		
		Chronic 2; H301, H315, H317,		
		H319, H330, H335, H350i,		
		H372, H411		

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

FIRST AID MEASURES 4.

4.1 **Description of first aid measures**

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

4.3 Indication of any immediate medical attention and special treatment needed

no data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, nitrogen oxides (NOx), Beryllium oxides

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

no data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end uses

no data available

8. EXPOSURE CONTROLS/PERSONAL

PROTECTION 8.1 Control parameters

Components with workplace control

parameters 8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: clear, liquid Colour: colourless	
b)	Odour	no data available	
c)	Odour Threshold	no data available	
d)	рН	no data available	
e)	Melting point/freezing point	no data available	
f)	Initial boiling point and boiling range	no data available	
g)	Flash point	no data available	
h)	Evaporation rate	no data available	
i)	Flammability (solid, gas) no data available		
j)	Upper/lower flammability or explosive limits	no data available	
k)	Vapour pressure	no data available	
I)	Vapour density	no data available	

no data available

m) Relative density

n) Water solubilityno data availableo) Partition coefficient: n-no data available

octanol/water

p) Autoignition no data available

temperature

q) Decomposition no data available

temperature

r) Viscosity no data available
 s) Explosive properties no data available
 t) Oxidizing properties no data available

9.2 Other safety information

no data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

no data available

10.2 Chemical stability

no data available

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Gives off hydrogen by reaction with metals.

10.6 Hazardous decomposition products

Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: 1 - Group 1: Carcinogenic to humans (Hexakis[µ-(acetato-o:o')]-µ4-oxotetraberyllium)

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Potential health effects

InhalationToxic if inhaled. Causes respiratory tract irritation.SkinToxic if absorbed through skin. Causes skin irritation.

Eyes Causes serious eye irritation.

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Additional Information RTECS: Not available

12. ECOLOGICAL INFORMATION

12.1 Toxicity

no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

14.1 UN number

ADR/RID: 3264 IMDG: 3264 IATA: 3264

14.2 UN proper shipping name

ADR/RID: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid) IMDG: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid)

IATA: Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)

14.3 Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

no data available

15. REGULATORY INFORMATION

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture no data available

15.2 Chemical Safety Assessment

no data available

16. OTHER INFORMATION

Text of H-code(s) and R-phrase(s) mentioned in Section 3

Acute Tox. Acute toxicity

Aquatic Chronic Chronic aquatic toxicity

Carc. Carcinogenicity
Eye Irrit. Eye irritation

H272 May intensify fire; oxidiser.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H335 May cause respiratory irritation. H350i May cause cancer by inhalation.

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Ox. Liq. Oxidizing liquids
Skin Corr. Skin corrosion
Skin Irrit. Skin irritation
Skin Sens. Skin sensitization

STOT RE Specific target organ toxicity - repeated exposure STOT SE Specific target organ toxicity - single exposure

C Corrosive

R 8 Contact with combustible material may cause fire.

R25 Toxic if swallowed.
R26 Very toxic by inhalation.

N Dangerous for the environment

O Oxidising

R35 Causes severe burns.

R36/37/38 Irritating to eyes, respiratory system and skin.
R43 May cause sensitization by skin contact.

R48/23 Toxic: danger of serious damage to health by prolonged exposure through inhalation.

R49 May cause cancer by inhalation.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

T+ Very toxic

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Pallav Chemicals & Solvents Pvt. Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.pallavchemicals.com for additional terms and conditions of sale.