CAS No: 4197-24-4 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

Trade name : CARBOL FUCHSIN POWDER FOR MICROSCOPY

CAS No : 4197-24-4
Product code : B-00679

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Bio-Chem Chemicals

5455, Nicholson Road Science Market, Ambala Cantt. 133001 Haryana (India)

+91-82952 41953

info@biofinechemical.com - www.biofinechemical.com

1.4. Emergency telephone number

Emergency number : +91 99921 51495 (10.00am - 06.30pm) (Office Hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H302

Category 4

Acute toxicity (inhal.), H332

Category 4

Skin corrosion/irritation, H314

Category 1

Germ cell mutagenicity, H341

Category 2

Carcinogenicity, Category H350

1A

Specific target organ H373

toxicity — Repeated exposure, Category 2

Full text of classification categories and H statements : see section 16

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

Carc.Cat.1; R45 Muta.Cat.3; R68 T; R23/24/25 Xn; R48/20/21/22

C; R34

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

 \rangle

GHS05 GHS07

GHS08

Signal word (CLP) : Danger

Hazard statements (CLP) : H302+H332 - Harmful if swallowed or if inhaled

H314 - Causes severe skin burns and eye damage H341 - Suspected of causing genetic defects

H350 - May cause cancer

H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary statements (CLP) : P201 - Obtain special instructions before use

P280 - Wear protective gloves, protective clothing, eye protection, face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a doctor

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : CARBOL FUCHSIN POWDER FOR MICROSCOPY

CAS No : 4197-24-4

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. Get

immediate medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing, Immediately call a POISON CENTER or

doctor/physician.

First-aid measures after ingestion : Rinse mouth. Immediately call a POISON CENTER or doctor/physician. Do NOT

induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage. May cause damage to organs. Causes

damage to organs.

Symptoms/injuries after skin contact : Repeated exposure to this material can result in absorption through skin causing

significant health hazard. Toxic in contact with skin.

Symptoms/injuries after ingestion : Toxic if swallowed. Swallowing a small quantity of this material will result in serious

health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as

possible. On land, sweep or shovel into suitable containers.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Do not breathe vapours.

Safety Data Sheet

Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing

before reuse. Wash hands and other exposed areas with mild soap and water before

eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

7.3. Specific end use(s) No additional information available

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. **Exposure controls**

Melting point

: Protective gloves Hand protection

: Chemical goggles or face shield Eye protection Skin and body protection : Wear suitable protective clothing

: Where exposure through inhalation may occur from use, respiratory protection Respiratory protection

equipment is recommended

: No data available

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties 9.1.

Physical state : Solid

Colour : Black powder.

Odour : odourless.

Odour threshold : No data available

: No data available рΗ

Relative evaporation rate (butylacetate=1) : No data available

: No data available Freezing point

Boiling point : No data available

Flash point : No data available

: No data available Auto-ignition temperature

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : 0.2 mm Hg at 20°C

Relative vapour density at 20 °C : 3.24

Relative density : No data available

Safety Data Sheet

Density : 1.1 g/cm³

Solubility : Water: Very soluble

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Moisture.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates: Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Inhalation: Harmful if inhaled.

Skin corrosion/irritation : Causes severe skin burns and eye damage. Serious eye damage/irritation : Serious eye damage, category 1, implicit

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Suspected of causing genetic defects.

Carcinogenicity : May cause cancer.

Reproductive toxicity : Not classified Specific target organ toxicity (single : Not classified

exposure)

Specific target organ toxicity (repeated

exposure)

: May cause damage to organs through prolonged or repeated exposure.

Safety Data Sheet

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Toxic if swallowed. Toxic in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

recommendations

Ecology - waste materials

: Dispose of contents/container to ...

: Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : 2923

 UN-No. (IMDG)
 : 2923

 UN-No.(IATA)
 : 2923

 UN-No.(ADN)
 : 2923

 UN-No. (RID)
 : 2923

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CORROSIVE SOLID, TOXIC, N.O.S.
Proper Shipping Name (IMDG) : CORROSIVE SOLID, TOXIC, N.O.S.
Proper Shipping Name (IATA) : CORROSIVE SOLID, TOXIC, N.O.S.

Safety Data Sheet

Proper Shipping Name (ADN) : CORROSIVE SOLID, TOXIC, N.O.S.
Proper Shipping Name (RID) : CORROSIVE SOLID, TOXIC, N.O.S.

Transport document description (ADR)

UN 2923 CORROSIVE SOLID, TOXIC, N.O.S., 8 (6.1), II, (E)

UN 2923 CORROSIVE SOLID, TOXIC, N.O.S., 8 (6.1), II

Transport document description (IATA)

UN 2923 CORROSIVE SOLID, TOXIC, N.O.S., 8 (6.1), II

Transport document description (ADN)

UN 2923 CORROSIVE SOLID, TOXIC, N.O.S., 8 (6.1), II

Transport document description (RID)

UN 2923 CORROSIVE SOLID, TOXIC, N.O.S., 8 (6.1), II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8 (6.1)

Danger labels (ADR) : 8, 6.1



IMDG

Transport hazard class(es) (IMDG) : 8 (6.1)
Danger labels (IMDG) : 8, 6.1



IATA

Transport hazard class(es) (IATA) : 8 (6.1) Hazard labels (IATA) : 8, 6.1



ADN

Transport hazard class(es) (ADN) : 8 (6.1)

Danger labels (ADN) : 8, 6.1



RID

Transport hazard class(es) (RID) : 8 (6.1)

Danger labels (RID) : 8, 6.1



Safety Data Sheet

14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : CT2
Special provision (ADR) : 274
Limited quantities (ADR) : 1kg
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P002, IBC08

Special packing provisions (ADR) : B4

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container : T3

instructions (ADR)

Portable tank and bulk container special : TP33

provisions (ADR)

Tank code (ADR) : SGAN, L4BN

Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages : V11

(ADR)

Special provisions for carriage - Loading, : CV13, CV28

unloading and handling (ADR)

Hazard identification number (Kemler No.) : 86

Orange plates

86 2923

Tunnel restriction code (ADR) : E EAC code : 2X

- Transport by sea

: 274 Special provision (IMDG) Limited quantities (IMDG) : 1 kg Excepted quantities (IMDG) : E2 : P002 Packing instructions (IMDG) : IBC08 IBC packing instructions (IMDG) IBC special provisions (IMDG) : B2, B4 Tank instructions (IMDG) : T3 : TP33 Tank special provisions (IMDG) EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-B Stowage category (IMDG) : B Stowage and handling (IMDG) : SW2

Safety Data Sheet

MFAG-No : 154

- Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y844 PCA limited quantity max net quantity : 5kg

(IATA)

PCA packing instructions (IATA) : 859 PCA max net quantity (IATA) : 15kg CAO packing instructions (IATA) : 863 CAO max net quantity (IATA) : 50kg Special provision (IATA) : A3 ERG code (IATA) : 8P

- Inland waterway transport

Classification code (ADN) : CT2 : 274, 802 Special provisions (ADN) Limited quantities (ADN) : 1 kg Excepted quantities (ADN) : E2 Equipment required (ADN) : PP, EP Number of blue cones/lights (ADN) : 2

- Rail transport

Classification code (RID) : CT2 : 274 Special provision (RID) Limited quantities (RID) : 1kg Excepted quantities (RID) : E2

: P002, IBC08 Packing instructions (RID)

Special packing provisions (RID) : B4 Mixed packing provisions (RID) : MP10 Portable tank and bulk container : T3

instructions (RID)

Portable tank and bulk container special : TP33

provisions (RID)

Transport category (RID) Special provisions for carriage - Packages : W11

(RID)

Special provisions for carriage - Loading

Tank codes for RID tanks (RID)

and unloading (RID)

: CW13. CW28

: SGAN, L4BN

Colis express (express parcels) (RID) : CE10 : 86 Hazard identification number (RID)

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.7.

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

CARBOL FUCHSIN POWDER FOR MICROSCOPY is not on the REACH Candidate List CARBOL FUCHSIN POWDER FOR MICROSCOPY is not on the REACH Annex XIV List

Safety Data Sheet

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

12th Ordinance Implementing the Federal : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Denmark

Recommendations Danish Regulation

: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Carc. 1A	Carcinogenicity, Category 1A
Muta. 2	Germ cell mutagenicity, Category 2
Skin Corr. 1	Skin corrosion/irritation, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H332	Harmful if inhaled
H341	Suspected of causing genetic defects
H350	May cause cancer
H373	May cause damage to organs through prolonged or repeated exposure
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed
R34	Causes burns
R45	May cause cancer
R48/20/21/22	Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed
R68	Possible risk of irreversible effects
С	Corrosive
Т	Toxic
Xn	Harmful

Safety Data Sheet

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product