

# ISOPROPYLAMINE FOR SYNTHESIS MSDS



CAS No: 75-31-0 MSDS

## MATERIAL SAFETY DATA SHEET (MSDS)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance

EC index no : 612-007-00-1


EC no : 200-860-9

CAS No : 75-31-0

Product code : B-02207

Formula : C<sub>3</sub>H<sub>9</sub>N

Chemical structure :



Synonyms : 2-Aminopropane

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Bio-Chem Chemicals  
5455, Nicholson Road Science Market,  
Ambala Cantt. 133001 Haryana (India)  
+91-82952 41953  
[info@biofinechemical.com](mailto:info@biofinechemical.com) - [www.biofinechemical.com](http://www.biofinechemical.com)

#### 1.4. Emergency telephone number

Emergency number : +91 99921 51495 (10.00am - 06.30pm) (Office Hours)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H224

Category 1

Serious eye damage/eye H319

irritation, Category 2

Skin corrosion/irritation, H315

Category 2

Specific target organ H335

toxicity — Single

exposure, Category 3,

# ISOPROPYLAMINE FOR SYNTHESIS

## Safety Data Sheet

---

Respiratory tract irritation

Full text of classification categories and H statements : see section 16

### Classification according to Directive 67/548/EEC or 1999/45/EC

F+; R12

Xi; R36/37/38

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) : -

Hazard statements (CLP) : H224 - Extremely flammable liquid and vapour  
H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H335 - May cause respiratory irritation

Precautionary statements (CLP) : P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

## 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Name : ISOPROPYLAMINE FOR SYNTHESIS

CAS No : 75-31-0

EC no : 200-860-9

EC index no : 612-007-00-1

Full text of R- and H-phrases: see section 16

# ISOPROPYLAMINE FOR SYNTHESIS

## Safety Data Sheet

---

### 3.2. Mixture

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
- First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see ... on this label).
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : May cause respiratory irritation.
- Symptoms/injuries after skin contact : Causes skin irritation.
- Symptoms/injuries after eye contact : Causes serious eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>).
- Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Extremely flammable liquid and vapour.
- Explosion hazard : May form flammable/explosive vapour-air mixture.

### 5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.

#### 6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

- Protective equipment : Use personal protective equipment as required.
- Emergency procedures : Stop release.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Clear up rapidly by scoop or vacuum.

### 6.4. Reference to other sections

No additional information available

# ISOPROPYLAMINE FOR SYNTHESIS

## Safety Data Sheet

---

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling	: No naked lights. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.
Hygiene measures	: Wash ... thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/... equipment.
Storage conditions	: Keep in fireproof place. Keep container tightly closed.
Incompatible materials	: Heat sources.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Hand protection	: protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear appropriate mask

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Clear Colorless.
Odour	: ammonia like odour.
Odour threshold	: No data available
pH	: 13 at 700 g/l at 20 °C
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: -101 °C
Freezing point	: No data available
Boiling point	: 33 - 34
Flash point	: -37 °C
Auto-ignition temperature	: 402 °C

# ISOPROPYLAMINE FOR SYNTHESIS

## Safety Data Sheet

---

Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable Extremely flammable liquid and vapour
Vapour pressure	: 634.1 hPa at 20 °C
Relative vapour density at 20 °C	: 2.04
Relative density	: No data available
Density	: 0.6891 g/cm <sup>3</sup>
Solubility	: Water: Soluble
Log Pow	: -0.03
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 0.02 - 0.104 vol %

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Extremely flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Sparks. Heat. Direct sunlight. Overheating. Open flame.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

May release flammable gases.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes skin irritation.

pH: 13 at 700 g/l at 20 °C

Serious eye damage/irritation : Causes serious eye irritation.

pH: 13 at 700 g/l at 20 °C

Respiratory or skin sensitisation : Not classified

# ISOPROPYLAMINE FOR SYNTHESIS

## Safety Data Sheet

---

Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

### SECTION 12: Ecological information

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

<b>ISOPROPYLAMINE FOR SYNTHESIS (75-31-0)</b>	
Log Pow	-0.03

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to ...

Additional information : Handle empty containers with care because residual vapours are flammable.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

# ISOPROPYLAMINE FOR SYNTHESIS

## Safety Data Sheet

---

### 14.1. UN number

UN-No. (ADR) : 1221  
UN-No. (IMDG) : 1221  
UN-No.(IATA) : 1221  
UN-No.(ADN) : 1221  
UN-No. (RID) : 1221

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : ISOPROPYLAMINE  
Proper Shipping Name (IMDG) : ISOPROPYLAMINE  
Proper Shipping Name (IATA) : ISOPROPYLAMINE  
Proper Shipping Name (ADN) : ISOPROPYLAMINE  
Proper Shipping Name (RID) : ISOPROPYLAMINE  
Transport document description (ADR) : UN 1221 ISOPROPYLAMINE, 3 (8), I, (C/E)  
Transport document description (IMDG) : UN 1221 ISOPROPYLAMINE, 3 (8), I (-37°C c.c.)  
Transport document description (IATA) : UN 1221 ISOPROPYLAMINE, 3 (8), I  
Transport document description (ADN) : UN 1221 ISOPROPYLAMINE, 3 (8), I  
Transport document description (RID) : UN 1221 ISOPROPYLAMINE, 3 (8), I

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 3 (8)  
Danger labels (ADR) : 3, 8



#### IMDG

Transport hazard class(es) (IMDG) : 3 (8)  
Danger labels (IMDG) : 3, 8



#### IATA

Transport hazard class(es) (IATA) : 3 (8)  
Hazard labels (IATA) : 3, 8



#### ADN

Transport hazard class(es) (ADN) : 3 (8)  
Danger labels (ADN) : 3, 8

# ISOPROPYLAMINE FOR SYNTHESIS

## Safety Data Sheet

---



### RID

Transport hazard class(es) (RID) : 3 (8)

Danger labels (RID) : 3, 8



### 14.4. Packing group

Packing group (ADR) : I

Packing group (IMDG) : I

Packing group (IATA) : I

Packing group (ADN) : I

Packing group (RID) : I

### 14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : FC

Limited quantities (ADR) : 0

Excepted quantities (ADR) : E0

Packing instructions (ADR) : P001

Mixed packing provisions (ADR) : MP7, MP17

Portable tank and bulk container instructions (ADR) : T11

Portable tank and bulk container special provisions (ADR) : TP2

Tank code (ADR) : L10CH

Tank special provisions (ADR) : TU14, TE21

Vehicle for tank carriage : FL

Transport category (ADR) : 1

Special provisions for carriage - Operation (ADR) : S2, S20

Hazard identification number (Kemler No.) : 338

Orange plates :



Tunnel restriction code (ADR) : C/E

EAC code : •2WE

APP code : A(fl)

#### - Transport by sea

Limited quantities (IMDG) : 0



# ISOPROPYLAMINE FOR SYNTHESIS

## Safety Data Sheet

---

Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P001
Tank instructions (IMDG)	: T11
Tank special provisions (IMDG)	: TP2
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-C
Stowage category (IMDG)	: E
Stowage and handling (IMDG)	: SW2
Flash point (IMDG)	: -37°C c.c.
MFAG-No	: 132

### - Air transport

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: 350
PCA max net quantity (IATA)	: 0.5L
CAO packing instructions (IATA)	: 360
CAO max net quantity (IATA)	: 2.5L
ERG code (IATA)	: 3CH

### - Inland waterway transport

Classification code (ADN)	: FC
Limited quantities (ADN)	: 0
Excepted quantities (ADN)	: E0
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1

### - Rail transport

Classification code (RID)	: FC
Limited quantities (RID)	: 0
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P001
Mixed packing provisions (RID)	: MP7, MP17
Portable tank and bulk container instructions (RID)	: T11
Portable tank and bulk container special provisions (RID)	: TP2
Tank codes for RID tanks (RID)	: L10CH
Special provisions for RID tanks (RID)	: TU14, TU38, TE21, TE22
Transport category (RID)	: 1
Hazard identification number (RID)	: 338

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

ISOPROPYLAMINE FOR SYNTHESIS is not on the REACH Candidate List

# ISOPROPYLAMINE FOR SYNTHESIS

## Safety Data Sheet

ISOPROPYLAMINE FOR SYNTHESIS is not on the REACH Annex XIV List

### 15.1.2. National regulations

#### Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS, Annex 3; WGK No 5981)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

#### Denmark

Class for fire hazard : Class I-1

Store unit : 1 liter

Classification remarks : F+ <Flam. Liq. 1>; Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

### 15.2. Chemical safety assessment

No additional information available

### SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 1	Flammable liquids, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H224	Extremely flammable liquid and vapour
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
R12	Extremely flammable
R36/37/38	Irritating to eyes, respiratory system and skin
F+	Extremely flammable
Xi	Irritant

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*

# ISOPROPYLAMINE FOR SYNTHESIS

Safety Data Sheet

---