



# MATERIAL SAFETY DATA SHEET SDS/MSDS

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : **Acetyl Acetone**

CAS-No. : 123-54-6

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Industrial & for professional use only.

### 1.3 Details of the supplier of the safety data sheet

Company : Bio-Chem Chemicals  
5455, Nicholson Nicholson Road,  
Science Market,  
Ambala Cantt. 133001 Haryana (India)  
+91-82952 41953  
info@biofinechemical.com - www.biofinechemical.com

### 1.4 Emergency telephone number

Emergency Phone # : +91 99921 51495 (10.00am - 06.30pm) (Office Hours)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 3), H226

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Dermal (Category 3), H311

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 Label elements

#### Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H226

Flammable liquid and vapour.

H302

Harmful if swallowed.

H311 + H331

Toxic in contact with skin or if inhaled.

Precautionary statement(s)

P210

Keep away from heat, hot surfaces, sparks, open flames and other

P261	ignition sources. No smoking.
P280	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P302 + P352 + P312	Wear protective gloves/ protective clothing. IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/doctor if you feel unwell.
P304 + P340 + P311	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor.
P370 + P378	In case of fire: Use dry powder or dry sand to extinguish.
Supplemental Hazard Statements	none

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Synonyms	: 2,4-Pentanedione
Formula	: CH <sub>3</sub> .CO.CH <sub>2</sub> .CO.CH <sub>3</sub>
Molecular weight	: 100.12 g/mol
CAS-No.	: 123-54-6
EC-No.	: 204-634-0
Index-No.	: 606-029-00-0
Registration number	: 01-2119458968-15-XXXX

#### Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
<b>Acetylacetone</b>			
CAS-No.	123-54-6	Flam. Liq. 3; Acute Tox. 4;	<= 100 %
EC-No.	204-634-0	Acute Tox. 3; H226, H302,	
Index-No.	606-029-00-0	H331, H311	
Registration number	01-2119458968-15-XXXX		

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Flammable liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Derived No Effect Level (DNEL)

Application Area	Exposure routes	Health effect	Value
Workers	Skin contact	Long-term systemic effects	12mg/kg BW/d
Workers	Inhalation	Long-term systemic effects	84 mg/m <sup>3</sup>

## Predicted No Effect Concentration (PNEC)

Compartment	Value
Soil	0.01582 mg/kg
Marine water	0.0026 mg/l
Fresh water	0.026 mg/l
Sewage treatment plant	1.32 mg/l
Fresh water sediment	0.155 mg/kg
Marine sediment	0.0155 mg/kg

## 8.2 Exposure controls

### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (US) or type ABEK (EN 14387) respirator cartridges as a backup to enginee protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- |   |   |
|---|---|
| a) Appearance                                   | Form: liquid  |
| b) Odour  | No data available   |
| c) Odour Threshold                              | No data available   |
| d) pH   | 6 at 200 g/l at 20 °C   |
| e) Melting point/freezing point                 | Melting point/range: -23 °C - lit.                                  |
| f) Initial boiling point and boiling range      | 136-140 °C - lit.   |
| g) Flash point                                  | 38 °C - closed cup  |
| h) Evaporation rate                             | No data available   |
| i) Flammability (solid, gas)                    | No data available   |
| j) Upper/lower flammability or explosive limits | Upper explosion limit: 11.4 %(V)<br>Lower explosion limit: 1.7 %(V) |

k)	Vapour pressure	No data available
l)	Vapour density	3.46 - (Air = 1.0)
m)	Relative density	0.971-0.974 g/cm <sup>3</sup> at 20 °C
n)	Water solubility	soluble
o)	Partition coefficient: n-octanol/water	log Pow: 1.9
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available

## 9.2 Other safety information

Surface tension 31.2 mN/m at 20 °C

Relative vapour density 3.46 - (Air = 1.0)

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Heat, flames and sparks.

### 10.5 Incompatible materials

Strong oxidizing agents, Reducing agents, Strong bases, Metals

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male - 760 mg/kg(Acetylacetone)

LD50 Oral - Rat - female - 570 mg/kg(Acetylacetone)

LC50 Inhalation - Rat - 4 h - 5.1 mg/l(Acetylacetone)

LD50 Dermal - Rabbit - male - 790 mg/kg(Acetylacetone)

LD50 Dermal - Rabbit - female - 1,370 mg/kg(Acetylacetone)

#### Skin corrosion/irritation

Skin - Rabbit(Acetylacetone)

Result: Mild skin irritation

#### Serious eye damage/eye irritation

Eyes - Rabbit(Acetylacetone)

Result: Mild eye irritation

(Directive 67/548/EEC, Annex V, B.5.)

**Respiratory or skin sensitisation**

No data available(Acetylacetone)

**Germ cell mutagenicity**

Laboratory experiments have shown mutagenic effects.(Acetylacetone)

Hamster(Acetylacetone)

ovary

Mutation in mammalian somatic cells.

(Acetylacetone)

Rat

Result: negative

Micronucleus test

**Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**Reproductive toxicity**

Ingestion of excessive amounts by pregnant animals resulted in maternal and foetal toxicity.(Acetylacetone)

**Specific target organ toxicity - single exposure**

No data available(Acetylacetone)

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available(Acetylacetone)

**Additional Information**

RTECS: SA1925000

Inhalation may provoke the following symptoms:, Dizziness, Suffocation(Acetylacetone)

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.(Acetylacetone)

**SECTION 12: Ecological information****12.1 Toxicity**

Toxicity to fish LC50 - other fish - 106 mg/l - 96 h(Acetylacetone)

Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia magna (Water flea) - 40 mg/l - 24 h(Acetylacetone)

EC100 - Daphnia magna (Water flea) - 90 mg/l - 24 h(Acetylacetone)

LC50 - Daphnia magna (Water flea) - 34,409 µg/l - 48 h(Acetylacetone)

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available(Acetylacetone)

**12.5 Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Contaminated packaging

Dispose of as unused product.

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: 2310

IMDG: 2310

IATA: 2310

### 14.2 UN proper shipping name

ADR/RID: PENTANE-2,4-DIONE

IMDG: PENTANE-2,4-DIONE

IATA: Pentane-2,4-dione

### 14.3 Transport hazard class(es)

ADR/RID: 3 (6.1)

IMDG: 3 (6.1)

IATA: 3 (6.1)

### 14.4 Packaging group

ADR/RID: III

IMDG: III

IATA: III

### 14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

### 14.6 Special precautions for user

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H311 + H331	Toxic in contact with skin or if inhaled.
H331	Toxic if inhaled.