CELLOSOLVE 99.5% AR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Reference number: 03717

Issue date: 3/12/2024 Revision date: 3/12/2026 Supersedes version of: 3/29/2023 Version: 1.0



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

Trade name CELLOSOLVE 99.5% AR **IUPAC** name 2-Ethoxyethan-1-ol EC Index-No. 603-012-00-X EC-No. 203-804-1 CAS-No. 110-80-5 Product code B-00710 Type of product Solvents Formula C4H10O2

Chemical structure : CH₃CH₂OCH₂CH₂OH

Synonyms : Cellosolve, Ethylene glycol ethyl ether, Oxitol, Ethyl Cellosolve, EGEE

1.2. Relevant identified uses of the substance or mixture and uses advised against

1,2,1, Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Solvents

Laboratory chemicals
Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Bio-Chem Chemicals

5455, Nicholson Road Science Market, Ambala Cantt. 133001 Haryana (India)

+91-82952 41953

info@biofinechemical.com - www.biofinechemical.com

1.4. Emergency telephone number

Emergency number : +91 99921 51495 (10.00am - 06.30pm) (Office Hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3

Acute toxicity (oral), Category 4

Acute toxicity (inhal.), Category 3

Reproductive toxicity, Category 1B

H360FD

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. May damage fertility or the unborn child. Toxic if inhaled. Harmful if swallowed.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

GHS06

Signal word (CLP)

: Danger

Hazard statements (CLP)

: H226 - Flammable liquid and vapour. H302 - Harmful if swallowed.

H331 - Toxic if inhaled.

H360FD - May damage fertility. May damage the unborn child.

Precautionary statements (CLP)

: P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P233 - Keep container tightly closed.

P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

Nordic countries regulation

Denmark

MAL code : 00-6 (Executive Order No. 301 from 1993)

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	2-ETHOXYETHANOL (110-80-5)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	2-ETHOXYETHANOL (110-80-5)

The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

: Mono-constituent Substance type

Name	Product identifier	%
2-ETHOXYETHANOL substance listed as REACH Candidate	CAS-No.: 110-80-5 EC-No.: 203-804-1 EC Index-No.: 603-012-00-X	100

3.2. Mixtures

Not applicable

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if

you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. If breathing is difficult, remove victim to fresh air and keep at rest in a

position comfortable for breathing. Call a doctor.

First-aid measures after skin contact : Immediately call a POISON CENTER/doctor. Wash with plenty of water/.... Wash

contaminated clothing before reuse. Rinse skin with water/shower. Take off immediately all

contaminated clothing.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth, Call a POISON CENTER/doctor if you feel unwell. Call a poison center or a

doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May damage the unborn child. May damage fertility.

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this

material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : Repeated exposure to this material can result in absorption through skin causing significant

health hazard. Harmful in contact with skin.

Symptoms/effects after eye contact : None under normal conditions.

Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames.

No smoking. Stop leak if safe to do so. Notify authorities if product enters sewers or public

waters. Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Emergency procedures : Evacuate unnecessary personnel. No open flames, no sparks, and no smoking. Only

qualified personnel equipped with suitable protective equipment may intervene. Avoid

breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Use personal protective

equipment as required. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area. Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to

prevent migration and entry into sewers or streams. Stop leak without risks if possible.

: Take up liquid spill into absorbent material. Collect spillage. On land, sweep or shovel into

suitable containers. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

Methods for cleaning up

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling : Keep away from sources of ignition - No smoking. Take precautionary measures against

static discharge. Use only non-sparking tools. Avoid contact with skin and eyes. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Use only outdoors or in a well-ventilated area. Avoid breathing

: Handle empty containers with care because residual vapours are flammable.

dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas

with mild soap and water before eating, drinking or smoking and when leaving work. Separate working clothes from town clothes. Launder separately. Always wash hands after

handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment.

Storage conditions : Keep container tightly closed. Keep in fireproof place. Store in a well-ventilated place. Keep

cool. Store locked up.

Incompatible materials : Heat sources.

Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Colourless. : Clear liquid. Appearance Molecular mass : 90.12 g/mol Odour : mild pleasant odor. Odour threshold : Not available Melting point : Not applicable Freezing point : -70 °C

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Boiling point : 135 °C
Flammability : Flammable

Flammable liquid and vapour.

Auto-ignition temperature : 235 °C at 1.013 hPa
Decomposition temperature : Not available
pH : Neutral at 20 °C
Viscosity, kinematic : 1.978 mm²/s

Viscosity, dynamic : 1.84 cP at 25 °C

Solubility : Water: Completely miscible

Partition coefficient n-octanol/water (Log Kow) : Not available

Partition coefficient n-octanol/water (Log Pow) : 0.32 - Bioaccumulation is not expected., (ECHA)

Vapour pressure : 4 mm Hg at 20°C
Vapour pressure at 50°C : Not available
Density : 0.93 g/cm³ at 25 °C
Relative density : Not available
Relative vapour density at 20°C : 3.1 (Air = 1.0)
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : 0.32

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Open flame. Heat. Sparks. Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Toxic if inhaled.
Skin corrosion/irritation : Not classified

pH: Neutral at 20 °C

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Serious eye damage/irritation : Not classified

pH: Neutral at 20 °C

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : May damage fertility. May damage the unborn child.

STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

Viscosity, kinematic 1.978 mm²/s

11.2. Information on other hazards

11,2,1, Endocrine disrupting properties

No additional information available

11,2,2, Other information

Potential adverse human health effects and

symptoms

: Harmful if swallowed, Harmful in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

: Not classified

12.2. Persistence and degradability

2-ETHOXYETHANOL AR (110-80-5)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	2-ETHOXYETHANOL (110-80-5)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	2-ETHOXYETHANOL (110-80-5)

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation. Disposal must be done

according to official regulations.

Additional information : Handle empty containers with care because residual vapours are flammable. Flammable

vapours may accumulate in the container. Do not re-use empty containers.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

 UN-No. (ADR)
 : UN 1171

 UN-No. (IMDG)
 : UN 1171

 UN-No. (IATA)
 : UN 1171

 UN-No. (ADN)
 : UN 1171

 UN-No. (RID)
 : UN 1171

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ETHYLENE GLYCOL MONOETHYL ETHER
Proper Shipping Name (IMDG) : ETHYLENE GLYCOL MONOETHYL ETHER

Proper Shipping Name (IATA) : Ethylene glycol monoethyl ether

Proper Shipping Name (ADN) : ETHYLENE GLYCOL MONOETHYL ETHER
Proper Shipping Name (RID) : ETHYLENE GLYCOL MONOETHYL ETHER

Transport document description (ADR)

: UN 1171 ETHYLENE GLYCOL MONOETHYL ETHER, 3, III, (D/E)

Transport document description (IMDG)

: UN 1171 ETHYLENE GLYCOL MONOETHYL ETHER, 3, III (40°C c.c.)

Transport document description (IATA) : UN 1171 Ethylene glycol monoethyl ether, 3, III

Transport document description (ADN) : UN 1171 ETHYLENE GLYCOL MONOETHYL ETHER, 3, III
Transport document description (RID) : UN 1171 ETHYLENE GLYCOL MONOETHYL ETHER, 3, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



IMDG

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



IATA

Transport hazard class(es) (IATA) : 3
Danger labels (IATA) : 3

ADN

Transport hazard class(es) (ADN) 3

Danger labels (ADN)



RID

Transport hazard class(es) (RID) : 3

Danger labels (RID)



14.4. Packing group

: III Packing group (ADR) : III Packing group (IMDG) Packing group (IATA) Ш Packing group (ADN) : 111 Packing group (RID) : 111

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1 Limited quantities (ADR) : 51 Excepted quantities (ADR) : E1

: P001, IBC03, LP01, R001 Packing instructions (ADR)

Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions (ADR) : T2 Portable tank and bulk container special provisions : TP1

(ADR)

: LGBF Tank code (ADR) : FL Vehicle for tank carriage : 3 Transport category (ADR) : V12 Special provisions for carriage - Packages (ADR) Special provisions for carriage - Operation (ADR) S2 Hazard identification number (Kemler No.) 30

Orange plates



Tunnel restriction code (ADR) : D/E EAC code : •2Y

Transport by sea

: 5 L Limited quantities (IMDG) Excepted quantities (IMDG) : E1

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T2 Tank special provisions (IMDG) : TP1 EmS-No. (Fire) · F-F EmS-No. (Spillage) : S-D Stowage category (IMDG) : A Flash point (IMDG) : 40°C c.c.

Properties and observations (IMDG) : Colourless liquid. Flashpoint: 40°C c.c. Explosive limits: 1.7% to 15.6%. Miscible with water.

MFAG-No : 127

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y344 PCA limited quantity max net quantity (IATA) : 10L PCA packing instructions (IATA) : 355 PCA max net quantity (IATA) : 60L : 366 CAO packing instructions (IATA) : 220L CAO max net quantity (IATA) ERG code (IATA) : 3L

Inland waterway transport

Classification code (ADN) : F1
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : F1
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T2
Portable tank and bulk container special provisions : TP1

(RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE4
Hazard identification number (RID) : 30

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(a)	2-ETHOXYETHANOL AR
3(b)	2-ETHOXYETHANOL AR

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
30.	2-ETHOXYETHANOL AR
40.	2-ETHOXYETHANOL AR

REACH Annex XIV (Authorisation List)

Not listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Listed on the REACH Candidate List: 2-Ethoxyethanol

PIC Regulation (Prior Informed Consent)

Not listed on the PIC list (Regulation EU 649/2012)

POP Regulation (Persistent Organic Pollutants)

Not listed on the POP list (Regulation EU 2019/1021)

Ozone Regulation (1005/2009)

Not listed on the Ozone Depletion list (Regulation EU 1005/2009)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Water hazard class (WGK)

Chemicals Prohibition Ordinance (ChemVerbotsV)

: WGK 2, Significantly hazardous to water (Classification according to AwSV; ID No. 5058).

This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements must be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic requirements for carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the

shipping route (according to § 10).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen - Borstvoeding

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

: The substance is not listed: The substance is not listed: The substance is not listed

: 2-ETHOXYETHANOL is listed

: 2-ETHOXYETHANOL is listed

Denmark

MAL code : 00-6 (Executive Order No. 301 from 1993)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Class for fire hazard : Class II-1 Store unit : 5 liter

Classification remarks : R10 <H226;H302;H331;H360FD>; Emergency management guidelines for the storage of

flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
voc	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H331	Toxic if inhaled.
H360FD	May damage fertility. May damage the unborn child.
Repr. 1B	Reproductive toxicity, Category 1B

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.