## DIBUTYL ETHER AR MSDS

CAS-No.: 142-96-1 MSDS



## MATERIAL SAFETY DATA SHEET (MSDS)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier** 

Product form : Substance

CAS-No. : 142-96-1 Product code : B-00959 Formula : C8H18O

Chemical structure H<sub>3</sub>C 0 CH<sub>3</sub>

Synonyms : Butyl ether

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

**Bio-Chem Chemicals** 

5455, Nicholson Road Science Market, Ambala Cantt. 133001 Haryana (India)

+91-82952 41953

info@biofinechemical.com - www.biofinechemical.com

#### 1.4. **Emergency telephone number**

**Emergency number** +91 99921 51495 (10.00am - 06.30pm) (Office Hours)

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H226

Category 3

Skin corrosion/irritation, H315

Category 2

Serious eye damage/eye H319

irritation, Category 2

Specific target organ H335

toxicity - Single

exposure, Category 3,

Respiratory tract irritation Hazardous to the aquatic H412

environment — Chronic Hazard, Category 3

Full text of H statements : see section 16

## Safety Data Sheet

### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Xi; R36/37/38

R10 R52/53

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) : H226 - Flammable liquid and vapour.

H315 - Causes skin irritation.

H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing vapours, spray, dust, fume, gas.

P273 - Avoid release to the environment.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### 2.3. Other hazards

No additional information available

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Name	Product identifier	%
DIBUTYL ETHER AR	(CAS-No.) 142-96-1	100

Full text of R- and H-statements: see section 16

### 3.2. Mixtures

Not applicable

### Safety Data Sheet

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER/doctor if you feel unwell.

First-aid measures after skin contact : Wash with plenty of water/.... Wash contaminated clothing before reuse. Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

### 5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open

flames. No smoking.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Toxic to aquatic life with long lasting effects.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers.

#### 6.4. Reference to other sections

No additional information available

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

### Safety Data Sheet

Precautions for safe handling : Avoid contact with skin and eyes. Keep away from sources of ignition - No smoking.

Use only outdoors or in a well-ventilated area. Do not breathe vapours. Provide good

ventilation in process area to prevent formation of vapour.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed

areas with mild soap and water before eating, drinking or smoking and when leaving

work.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting equipment.

Storage conditions : Keep in fireproof place. Keep container tightly closed.

Incompatible materials : Heat sources.

# 7.3. Specific end use(s)

No additional information available

**SECTION 8: Exposure controls/personal protection** 

### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Molecular mass : 130.23 g/mol Colour : Colourless.

Odour : No data available

Odour threshold : No data available

pH : 5.2

Relative evaporation rate (butylacetate=1) : No data available

Melting point : -98 °C

Freezing point : No data available

Boiling point : 141 °C

Flash point : 25 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

### Safety Data Sheet

Flammability (solid, gas) : Flammable

Flammable solid.

Vapour pressure : 4.6 hPa at 20 °C

Relative vapour density at 20 °C : 4.5

Relative density : No data available

Density : 0.769 g/cm³ Relative gas density : 0.764 at 25 °C

Solubility : Water: 10 g/l at 20 °C

Log Pow : 5

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : 0.009 - 0.085 vol %

#### 9.2. Other information

No additional information available

**SECTION 10: Stability and reactivity** 

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Open flame. Heat. Sparks.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

May release flammable gases.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes skin irritation.

pH: 5.2

Serious eye damage/irritation : Causes serious eye irritation.

pH: 5.2

Respiratory or skin sensitisation : Not classified

### Safety Data Sheet

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

### **SECTION 12: Ecological information**

12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

DIBUTYL ETHER AR (142-96-1)	
Persistence and degradability	May cause long-term adverse effects in the environment.

### 12.3. Bioaccumulative potential

DIBUTYL ETHER AR (142-96-1)	
Log Pow	5

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Product/Packaging disposal : Dispose of contents/container to hazardous or special waste collection point, in recommendations accordance with local, regional, national and/or international regulation.

Additional information : Handle empty containers with care because residual vapours are flammable.

### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR) : 1149

### Safety Data Sheet

UN-No. (IMDG) : 1149 UN-No. (IATA) : 1149 UN-No. (ADN) : 1149 UN-No. (RID) : 1149

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : DIBUTYL ETHERS
Proper Shipping Name (IMDG) : DIBUTYL ETHERS
Proper Shipping Name (IATA) : Dibutyl ethers
Proper Shipping Name (ADN) : DIBUTYL ETHERS
Proper Shipping Name (RID) : DIBUTYL ETHERS

Transport document description (ADR)

Transport document description (IMDG)

Transport document description (IATA)

Transport document description (ADN)

Transport document description (ADN)

Transport document description (RID)

Transport document description (RID)

: UN 1149 DIBUTYL ETHERS, 3, III

: UN 1149 DIBUTYL ETHERS, 3, III

# 14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



#### **IMDG**

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



### IATA

Transport hazard class(es) (IATA) : 3
Hazard labels (IATA) : 3



### ADN

Transport hazard class(es) (ADN) : 3
Danger labels (ADN) : 3



## Safety Data Sheet

#### RID

Transport hazard class(es) (RID) : 3
Danger labels (RID) : 3



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

: TP1

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : F1
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container : T2

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : LGBF

Vehicle for tank carriage : FL

Transport category (ADR) : 3

Special provisions for carriage - Packages : V12

(ADR)

Special provisions for carriage - Operation : S2

(ADR)

Hazard identification number (Kemler No.) : 30

Orange plates



Tunnel restriction code (ADR) : D/E EAC code : 3Y

- Transport by sea

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T2

### Safety Data Sheet

Tank special provisions (IMDG) : TP1 EmS-No. (Fire) : F-E EmS-No. (Spillage) : S-D Stowage category (IMDG) : A

: Colourless liquids with a mild ether-like odour. Explosive limits: 0.9% to 8.5% Properties and observations (IMDG)

Immiscible with water, normal-DIBUTYL ETHER: flashpoint 25°C c.c.

MFAG-No : 128

- Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y344 PCA limited quantity max net quantity : 10L

(IATA)

PCA packing instructions (IATA) 355 PCA max net quantity (IATA) : 60L CAO packing instructions (IATA) : 366 CAO max net quantity (IATA) : 220L ERG code (IATA) : 3L

- Inland waterway transport

Classification code (ADN) : F1 Limited quantities (ADN) : 5 L Excepted quantities (ADN) : E1 Equipment required (ADN) : PP, EX, A Ventilation (ADN) : VE01 Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : F1 : E1 Excepted quantities (RID)

Packing instructions (RID) : P001, IBC03, LP01, R001

: MP19 Mixed packing provisions (RID) Portable tank and bulk container : T2

instructions (RID)

Portable tank and bulk container special

provisions (RID)

: TP1

Tank codes for RID tanks (RID) : LGBF Transport category (RID) : 3 Special provisions for carriage - Packages : W12

(RID)

Colis express (express parcels) (RID) : CE4 Hazard identification number (RID) : 30

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

DIBUTYL ETHER AR is not on the REACH Candidate List DIBUTYL ETHER AR is not on the REACH Annex XIV List

### Safety Data Sheet

#### 15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 2, significant hazard to water (Classification according to

AwSV; ID No. 73)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

**Netherlands** 

SZW-lijst van kankerverwekkende stoffen : The substance is not listed SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting giftige stoffen –

Vruchtbaarheid

: The substance is not listed

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Ontwikkeling

: The substance is not listed

Denmark

Class for fire hazard : Class II-1 Store unit : 5 liter

Classification remarks : R10 <H226;H315;H319;H335;H412>; Emergency management guidelines for the

storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

### 15.2. Chemical safety assessment

No additional information available

### **SECTION 16: Other information**

#### Full text of R-, H- and EUH-statements:

Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam, Liq, 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.
R10	Flammable
R36/37/38	Irritating to eyes, respiratory system and skin
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Safety Data Sheet

Xi	Irritant

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product