

# MATERIAL SAFETY DATA SHEET SDS/MSDS

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifiers** 

> Product name : Phenyl Hydrazine

: 100-63-0 CAS-No.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Industrial & for professional use only.

1.3 Details of the supplier of the safety data sheet

> Company **Bio-Chem Chemicals**

5455, Nicholson Nicholson Road,

Science Market, Ambala Cantt. 133001Haryana (India)

+91-82952 41953

info@biofinechemical.com - www.biofinechemical.com

1.4 Emergency telephone number

> +91 99921 51495 (10.00am - 06.30pm) (Office Hours) Emergency Phone #

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008

Carcinogenicity (Category 1B), H350

Germ cell mutagenicity (Category 2), H341

Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311

Acute toxicity, Oral (Category 3), H301

Specific target organ toxicity - repeated exposure (Category 1), H372

Eye irritation (Category 2), H319 Skin irritation (Category 2), H315 Skin sensitisation (Category 1), H317

Acute aquatic toxicity (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

## Classification according to EU Directives 67/548/EEC or 1999/45/EC

Т Toxic R23/24/25, R48/23/24/25

> R45 R68

Xi R36/38 Irritant

> R43 R50

Ν Dangerous for the

environment

For the full text of the R-phrases mentioned in this Section, see Section 16.

#### 2.2 Label elements

### Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word Danger Acute toxicity Application hazard against environment

Hazard statement(s)

H301 Toxic if swallowed.
H311 Toxic in contact with skin.
H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

Precautionary statement(s)

P201 Obtain special instructions before use.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/

physician.

none

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard

Statements

Restricted to professional users.

#### 2.3 Other hazards - none

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula : C<sub>6H8N2</sub>

Molecular Weight : 108,14 g/mol
CAS-No. : 100-63-0
EC-No. : 202-873-5
Index-No. : 612-023-00-9

#### Hazardous ingredients according to Regulation (EC) No 1272/2008

Component Classification Concentration

Phenylhydrazine

CAS-No. 100-63-0 Acute Tox. 3; Skin Irrit. 2; Eye <= 100 %

EC-No. 202-873-5 Irrit. 2; Skin Sens. 1; Muta. 2; Index-No. 612-023-00-9 Carc. 1B; STOT RE 1; Aquatic Acute 1; H301 + H311 + H331,

H315, H317, H319, H341, H350, H372, H400

Hazardous ingredients according to Directive 1999/45/EC

Component Classification Concentration

Phenylhydrazine

CAS-No. 100-63-0 T, N, Carc.Cat.2, Mut.Cat.3, <= 100 %

EC-No. 202-873-5 R45 - R23/24/25 - R36/38 - Index-No. 612-023-00-9 R43 - R48/23/24/25 - R68 -

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

no data available

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides, nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

#### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Light sensitive. Store under inert gas. Air sensitive.

### 7.3 Specific end use(s)

A part from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Components with workplace control parameters

#### 8.2 Exposure controls

### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid
b) Odour no data available
c) Odour Threshold no data available
d) pH no data available

e) Melting point/freezing Melting point/range: 18 - 21 °C

point

f) Initial boiling point and 238 - 241 °C boiling range

g) Flash point 89 °C - closed cup

h) Evapouration rate no data availablei) Flammability (solid, gas) no data available

j) Upper/lower Lower explosion limit: 1,1 %(V) flammability or explosive limits

k) Vapour pressure 1,35 hPa at 60 °C

I) Vapour density 4,33

m) Relative density 1,098 g/mL

n) Water solubility no data availableo) Partition coefficient: n- no data available

octanol/water
p) Auto-ignition

no data available

temperature

q) Decomposition temperature

no data available

r) Viscosity no data available
 s) Explosive properties no data available
 t) Oxidizing properties no data available

9.2 Other safety information

Surface tension 46,1 mN/m at 20 °C

Relative vapour density 4,33

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

no data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

no data available

#### 10.4 Conditions to avoid

Heat, flames and sparks.

### 10.5 Incompatible materials

Oxidizing agents

### 10.6 Hazardous decomposition products

Other decomposition products - no data available In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - rat - 188 mg/kg

Remarks: Behavioral:Excitement. Behavioral:Muscle contraction or spasticity.

LC50 Inhalation - rat - 2.610 mg/m3

LC50 Inhalation - mouse - 2.120 mg/m3

#### Skin corrosion/irritation

no data available

### Serious eye damage/eye irritation Respiratory or skin sensitisation

Hazardous polymerisation may occur.

### Germ cell mutagenicity

In vitro tests showed mutagenic effects

Ames test S. typhimurium

Histidine reversion (Ames)

mouse

DNA damage

#### Carcinogenicity

Carcinogenicity - rat - Subcutaneous

Tumorigenic:Carcinogenic by RTECS criteria. Liver:Tumors. Skin and Appendages: Other: Tumors.

Possible human carcinogen

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

#### Reproductive toxicity

Reproductive toxicity - rat - Intraperitoneal

Effects on Newborn: Behavioral.

### Specific target organ toxicity - single exposure

no data available

#### Specific target organ toxicity - repeated exposure

no data available

### **Aspiration hazard**

no data available

#### **Additional Information**

RTECS: MV8925000

Liver injury may occur., Kidney injury may occur., Blood disorders

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish LC50 - Danio rerio (zebra fish) - 0,16 - 0,25 mg/l - 48,0 h

Toxicity to daphnia and EC5

EC50 - Daphnia magna (Water flea) - 2 - 5 mg/l - 48 h

other aquatic invertebrates

Toxicity to algae EC50 - Desmodesmus subspicatus (green algae) - 3,2 mg/l

### 12.2 Persistence and degradability

Biodegradability Biotic/Aerobic - Exposure time 28 d

Result: 97 % - Readily biodegradable.

#### 12.3 Bioaccumulative potential

no data available

### 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

Very toxic to aquatic life.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Contaminated packaging

Dispose of as unused product.

#### **SECTION 14: Transport information**

#### 14.1 UN number

ADR/RID: 2572 IMDG: 2572 IATA: 2572

#### 14.2 UN proper shipping name

ADR/RID: PHENYLHYDRAZINE IMDG: PHENYLHYDRAZINE IATA: Phenylhydrazine

### 14.3 Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

## 14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

#### 14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

### 14.6 Special precautions for user

no data available

### **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

no data available

### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

### **SECTION 16: Other information**

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity
Aquatic Acute Acute aquatic toxicity
Carc. Carcinogenicity
Eye Irrit. Eye irritation
H301 Toxic if swallowed.

H301 + H311 + Toxic if swallowed, in contact with skin or if inhaled

H331

H311 Toxic in contact with skin. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

### Full text of R-phrases referred to under sections 2 and 3

N Dangerous for the environment

T Toxic

R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R36/38 Irritating to eyes and skin.

R43 May cause sensitisation by skin contact.

R45 May cause cancer.

R48/23/24/25 Toxic: danger of serious damage to health by prolonged exposure through inhalation,

in contact with skin and if swallowed.

R50 Very toxic to aquatic organisms.
R68 Possible risk of irreversible effects.