

# MATERIAL SAFETY DATA SHEET SDS/MSDS

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Sodium Chlorite

CAS-No. : 7758-19-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Industrial & for professional use only.

1.3 Details of the supplier of the safety data sheet

Company :Bio-Chem Chemicals

5455 NicholsonRoad, Science Market Ambala Cantt, 133001 - Haryana

+91 82952 41953

info@biofinechemical.com - www.biofinechemical.com

1.4 Emergency telephone number

Emergency Phone # : +91 99921 51495 (10.00am - 06.30pm) (Office Hours)

**SECTION 2: Hazards identification** 

# 2.1 Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008

Oxidizing solids (Category 1), H271 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Dermal (Category 2), H310 Skin corrosion (Category 1B), H314

Specific target organ toxicity - repeated exposure, Oral (Category 2), spleen, H373

Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 Label elements

#### Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Danger

Hazard statement(s)

H271 May cause fire or explosion; strong oxidizer.

H301 Toxic if swallowed.
H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H373 May cause damage to organs (spleen) through prolonged or repeated

exposure if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately

call a POISON CENTER or doctor/physician.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to

extinguish.

Supplemental Hazard information (EU)

EUH032 Contact with acids liberates very toxic gas.

EUH071 Corrosive to the respiratory tract.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula : CINaO2
Molecular weight : 90,44 g/mol
CAS-No. : 7758-19-2
EC-No. : 231-836-6

# Hazardous ingredients according to Regulation (EC) No 1272/2008

Component Classification Concentration

Sodium chlorite

CAS-No. 7758-19-2 Ox. Sol. 1; Acute Tox. 3; Acute <= 100 %

EC-No. 231-836-6 Tox. 2; Skin Corr. 1B; STOT

RE 2; Aquatic Acute 1; Aquatic Chronic 3; H271, H301, H310, H314, H373, H400, H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

# **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment

needed No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

# Suitable extinguishing media

Dry powder

# 5.2 Special hazards arising from the substance or

mixture Hydrogen chloride gas, Sodium oxides

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

# 5.4 Further information

No data available

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Do not flush with water. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Never allow product to get in contact with water during storage. Do not store near acids.

Storage class (TRGS 510): Strongly oxidizing hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Components with workplace control parameters

# 8.2 Exposure controls

# **Appropriate engineering controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

# **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: powder

Colour: white

No data available

b) Odourc) Odour ThresholdNo data availableNo data available

d) pH 10,0 - 11,0 at 100 g/l at 20 °C

e) Melting point/freezing No data available

point

f) Initial boiling point and No data available

boiling range

g) Flash point Not applicable
h) Evaporation rate No data available
i) Flammability (solid, gas) No data available

j) Upper/lower Lower explosion limit: 7 %(V)

flammability or explosive limits

k) Vapour pressureNo data availableNo data available

m) Relative density No data available

Water solubility 545 g/l at 20 °C - OECD Test Guideline 105 log Pow: < -2.7

o) Partition coefficient: n-

octanol/water

No data available

p) Auto-ignition temperature

a) Decomposition

No data available

temperature

Viscosity No data available r) s) Explosive properties No data available

Oxidizing properties The substance or mixture is classified as oxidizing with the category 1.

#### 9.2 Other safety information

No data available

#### **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

# 10.5 Incompatible materials

Strong reducing agents, Powdered metals, Phosphorus, Sulphur compounds, Zinc, Ammonia, Organic materials, acids, Amines

#### 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - 284 mg/kg (OECD Test Guideline 401)

Inhalation: No data available

LD50 Dermal - Rabbit - male and female - 134 mg/kg

# Skin corrosion/irritation

No data available

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Risk of serious damage to eyes.

#### Respiratory or skin sensitisation

Maximisation Test (GPMT) - Guinea pig

Result: negative

(OECD Test Guideline 406)

#### Germ cell mutagenicity

No data available

No data available

#### Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Sodium chlorite)

#### Reproductive toxicity

No toxicity to reproduction

Reproductive toxicity - Rat - males - Oral

Developmental Toxicity - Rabbit - Oral

#### Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

Oral - May cause damage to organs through prolonged or repeated exposure. - spleen

Oral - spleen, Gastro-intestinal system

#### **Aspiration hazard**

No data available

#### **Additional Information**

Repeated dose

Rat - male and female - Oral - NOAEL: 10 mg/kg - LOAEL: 25 mg/kg

toxicity

RTECS: VZ4800000

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish flow-through test LC50 - Cyprinodon variegatus (sheepshead minnow) - 105

mg/l - 96 h

Toxicity to daphnia and

static test EC50 - Daphnia magna (Water flea) - < 1 mg/l - 48 h

other aquatic

(OECD Test Guideline 202)

invertebrates

Toxicity to algae static test EC50 - Pseudokirchneriella subcapitata (green algae) - 1 mg/l - 96 h

# 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Other adverse effects

Very toxic to aquatic life.

Avoid release to the environment.

No data available

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

#### 14.1 UN number

ADR/RID: 1496 IMDG: 1496 IATA: 1496

#### 14.2 UN proper shipping name

ADR/RID: SODIUM CHLORITE IMDG: SODIUM CHLORITE IATA: Sodium chlorite

# 14.3 Transport hazard class(es)

ADR/RID: 5.1 IMDG: 5.1 IATA: 5.1

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

# 14.6 Special precautions for user

No data available

# **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 453/2010.

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

# Full text of H-Statements referred to under sections 2 and 3.

EUH032	Contact with acids liberates very toxic gas.
EUH071	Corrosive to the respiratory tract.
H271	May cause fire or explosion; strong oxidizer.
H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H373	May cause damage to organs (/\$/*_ORG_REP_ORAL/\$/) through prolonged or repeated exposure if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

# **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.