



MATERIAL SAFETY DATA SHEET SDS/MSDS

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifiers

Product Name:	Brass Metal Powder - Irregular
CAS-No.:	63338-02-3
Product Code.:	B-00469

1.2. Relevant Identified uses of the substance or mixture and uses advised against

Powder Metallurgy, Decorative Castings/Coatings.

1.3. Company/undertaking identification

Bio-Chem Chemicals
5455 Nicholson Road, Science Market
Ambala Cantt, 133001 - Haryana
+91 82952 41953
info@biofinechemical.com - www.biofinechemical.com

1.4. Emergency Contact Information

Emergency tel: : +91 99921 51495 (10.00am - 06.30pm) (Office Hours)

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]

Aquatic Acute 1, Aquatic Chronic 1, Aquatic Chronic 3

2.2. Label elements according to Regulation (EC) No 1272/2008 [CLP]

Pictogram:



Signal word:

Danger

Hazard statement(s)	H400	Very toxic to aquatic life
	H410	Very toxic to aquatic life with long lasting effects
	H412	Harmful to aquatic life with long lasting effects.
Precautionary statement(s)	P273	Avoid release to the environment
	P391	Collect Spillage
	P501	Dispose of contents/container in accordance with local/regional/national/international regulations
Supplemental Hazard Statements	According to art. 12 of Directive 1999/45/EC to art. 23 and Annex I (point 1.3.4) of Regulation n.1272/2008, such mixtures would not require a label (metals in massive form/metal alloys).	

2.3. Other hazards

The substances in the mixture do not meet the criteria for PBT or vPvB substances

Classification System is according to latest editions of EU lists and is extended by company and literature data.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Description of Material: Copper Zinc Alloy

Synonyms: None

Chemical Composition:

EINECS N°	CAS N°	INDEX N°	Chemical name	Conc. (% w/w)	Hazard class and category code	Hazard statement
231-159-6	7440-50-8	<i>n.a.</i>	Copper	50 - 85	Aquatic Acute 1 Aquatic Chronic 3	H400 H412
231-175-3	7440-66-6	030-001-01-9	Zinc	15 – 50	Aquatic Acute 1; Aquatic Chronic 1	H400 H410

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice: First aid followed by medical attention.

Inhalation: Move exposed person to fresh air. Keep warm and at rest. Seek medical attention as soon as possible.

Skin contact: Wash with mild soap and water. Generally the product does not irritate the skin. Seek medical advice if irritation occurs/persists.

Eye Contact: Rinse opened eye for several minutes under running water. Seek medical attention if irritation persists.

Ingestion: Wash mouth out with water, seek medical attention if symptoms occur.

4.2 Most Important Symptoms and effects, both acute and delayed

Exposure by inhalation (large quantities) will produce symptoms called metal fume fever, influenza type symptoms which last 24-48 hours.

Copper may cause irritation to upper respiratory tract, metallic taste, discoloration of skin and hair.

Ingestion or inhalation of large quantities may cause nausea or vomiting.

Dust irritates nose and trachea, in certain individuals skin contact for long periods may cause irritation and possible dermatitis.

Copper may cause gastro enteric problems.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

5. FIRE FIGHTING MEASURES

5.1 Suitable Extinguishing Media:

Dry sand, dry powder extinguisher, fire blanket.

Extinguishing Media not suitable for safety reasons:

Liquid based extinguishers must not be used on molten metal.

5.2 Special hazards arising from the substance or mixture:

Carbon oxides, Borane/boron oxides

5.3 Advice for firefighters:

Wear self contained breathing apparatus for fire fighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions:

Wear protective equipment.
Keep unprotected persons away.
Avoid formation of dust

6.2 Environmental precautions:

Do not allow product to reach ground water, water bodies or sewerage system.

6.3 Methods for cleaning up:

Pick up manually or vacuum.

6.4 Reference to other sections:

See also sections 8 and 13

7. HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.
Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

7.2 Conditions for safe storage including any incompatibilities:

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end uses:
None

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters:

EXPOSURE LIMIT VALUES:

TLV - TWA (ACGIH, 2009) **Cu 0.2 mg/m³ (fumes); Zn 5 mg/m³ (fumes)**

TLV – TWA (ACGIH, 2009) **Cu 1 mg/m³ (dusts and mists); Zn 10 mg/m³ (dust)**

EXPOSURE PATTERN	ROUTE	DESCRIPTOR	DNEL
Human- Long-term - systemic effects	Oral, dermal and inhalation	Internal dose DNEL (Derived No Effect Level) Using absorption factors of 25% for oral, 100% for inhalation (respirable) and 0.03% for dermal exposure routes	0.041mg Cu/kg body weight/day
Human- Short-term - systemic effects	Oral, dermal and inhalation	Internal dose DNEL (Derived No Effect Level) Using absorption factors of 25% for oral, 100% for inhalation (respirable) and 0.03% for dermal exposure routes	0.082mg Cu/kg body weight/day
Human- Short-term – effects- drinking water	Oral	A NOAEL for drinking water	4 mg/l
DNEL (INHALATION OF INSOLUBLE Zn) = 5 mg/m³			

National exposure control limits must be considered where appropriate.

8.2 Exposure Controls:

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal Protective equipment

Ventilation:

Preferably Local exhaust ventilation (LEV) must be sufficient to keep concentration below occupational exposure limit

Respiratory protection:

Particulate cartridge filter type when LEV cannot be supplied.

Hand Protection:

Gloves: consult manufacturer for suitable specification.
A suitable barrier cream is recommended.

Eye Protection:

Tight safety goggles.

Body Protection:

Protective work clothing

General Safety and Hygiene measures:

Do not eat or drink while working with the product.

Wash hands before breaks and at the end of work.

9. PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

a) Appearance:	Yellow gold irregular powder	
b) Odour:	odourless	
c) Odour threshold	no data available	
d) pH	no data available	
e) Melting point/freezing point	860 – 1050 °C	
f) Initial boiling point and boiling range	no data available	
g) Flash point	no data available	
h) Evaporation rate	no data available	
i) Flammability (solid,gas)	product is not self igniting	
j) Upper/lower flammability or explosive limits	minimum explosive concentration in air 1000 g/cm ³	
k) Vapour pressure	no data available	
l) Vapour density	no data available	
m) Relative density	2-4 g/cm ³ at 20°C	
n) Specific Weight	8.0-8.7 g/cm ³ at 20°C	
o) Water solubility	Cu: Insoluble - copper needs to be transformed into a copper compound to become soluble. A solubility test (OECD 105) demonstrated a solubility of <1 mg Cu/l for a copper powder. Zn: 0.1 mg/l	
p) Partition coefficient: n octanol/water	no data available	
q) Autoignition temperature	Ignition temp in air	190°C in layer 370°C in cloud
r) Decomposition temperature	no data available	
s) Viscosity	no data available	
t) Explosive properties	non explosive	
u) Oxidizing properties	no data available	

9.2 Other Safety InformationNo data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No decomposition in usual conditions

10.2 Chemical stability

Stable under normal conditions of use

10.3 Possibility of hazardous reactions

May yield hydrogen and noxious copper compounds if affected by unsuitable materials.

10.4 Conditions to avoid

Avoid dust formation and contact with acids

10.5 Incompatible materials

Strong acids

10.6 Hazardous decomposition products

No data available

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

	Copper	Zinc
Oral	LD-50 rats >2000mg/kg body weight Not classified	LD-50 rats >2000mg/kg body weight Not classified
Dermal	Not classified	Not classified
Inhalation	Fractions with d50 > 10 µm not classified Fractions with <10 µm LD-50 rats 1-5 g/m ³ air	Not classified

Skin corrosion/irritation

Not classified

Serious eye damage/eye irritation

Not classified

Respiratory or skin sensitization

Not classified

Germ cell mutagenicity

Not classified

Carcinogenicity

Not classified

Reproductive toxicity

Not classified

Specific target organ toxicity - single exposure

Not classified

Specific target organ toxicity - repeated exposure

Not classified

Aspiration hazard

Not classified

12. ECOLOGICAL INFORMATION**12.1 Toxicity****12.1.1 Acute aquatic toxicity:**

Cu: Toxicity for pH = 5.5-6.5 L(E)C50 of 25.0 µg Cu/L (Van Sprang et al., 2010, in Copper Chemical Safety Report (CSR), 2010). *M-factor: 1*

Zn: Toxicity for pH < 7: EC50 = 0.9 mg Zn/l 48h (Dubia Ceriodaphnia)

Toxicity for pH > 7 – 8.5: EC50 = 0.3 mg Zn/l 72h (Selenastrum capricornutum). *M-factor: 1*

12.1.2 Chronic freshwater toxicity:

Cu: *Not classified* (Predicted No-Effect Concentration (PNEC): 7,8 µg/l is the value of dissolved Cu/l to be used to assess local risks)

Zn: PNEC: 20.6 µg Zn/l

12.1.3 Chronic marine waters toxicity:

Cu: *Not classified* (PNEC: 5.2 µg/l is the value of dissolved Cu/l to be used to assess local risks)

Zn: PNEC: 6.1 µg Zn/l

12.1.4 Chronic freshwater sediment toxicity:

Cu: Freshwater sediment PNEC is: 87 mg Cu/kg dry sediment weight

Zn: Freshwater sediment PNEC is: 235.6 mg Zn/kg dry sediment weight.

12.1.5 Chronic marine water sediment toxicity:

Zn: Freshwater sediment PNEC is: 113 mg Zn/kg dry sediment weight.

12.1.6 Soil toxicity:

Cu: Soil PNEC: 65.5 mg Cu/kg dry weight of soil

Zn: Soil PNEC: 106.8 mg/kg dry weight of soil

12.1.7 Toxicity to micro-organisms in STP:

PNEC in Sewage Treatment Plant: 52 µg Zn/l.

12.2 Persistence and degradability

Not classified

12.3 Bioaccumulative potential

Not classified

12.4 Mobility in soil

Cu: Copper-ions bind strongly to the soil matrix. The binding depends on the soil properties. A median water-soil partitioning coefficient (Kp) of 2120 L/kg has been derived.

Zn: A median water-soil partitioning coefficient (Kp) of 158 L/kg has been derived.

12.5 Results of PBT and vPvB assessment

The mixture does not contain PBT or vPvB substances

12.6 Other adverse effects


Copper and Zinc are not expected to contribute to ozone depletion, ozone formation, global warming or acidification.

13. DISPOSAL CONSIDERATIONS

Product: Remove in accordance with local official regulations. Dispose of at a hazardous waste landfill. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Used packaging material: Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations.

14. TRANSPORT INFORMATION:

	ADR/RID	IMDG	IATA
14.1 UN number	3077	3077	3077
14.2 UN Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. (COPPER POWDER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. (COPPER POWDER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. (COPPER POWDER)
14.3 Transport Hazard Class(es)	9	9	9
14.4 Packing group	III	III	III
14.5 Environmental Hazards	Classified as hazardous	Classified as hazardous	Classified as hazardous
14.6 Special Precautions for user	(*)	EmS: F-A, S-F (*)	(*)
14.7 Transport in Bulk according to Annex II of Marpol73/78 and the IBC code	Not applicable	Not applicable	Not applicable
14.8 Labelling			
(*) – The transport, comprising charge and discharge, must be made by people who have been trained on 'Dangerous Goods Regulations'			

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The mixture is NOT subject to:

- Regulation (EC) n. Regulation (EC) No 2037/2000 of the European Parliament and of the Council of 29 June 2000 on substances that deplete the ozone layer;

- Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants;

- Regulation (EC) n. 689/2008 of the European Parliament and of the Council of 17 June 2008 concerning the export and import of dangerous chemicals.

15.2 Chemical Safety Assessment

Has been carried out for both copper and zinc
