



# MATERIAL SAFETY DATA SHEET SDS/MSDS

---

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Potassium Dichromate 1/6 Mol/L (0.1N)  
Volumetric Solution

Product Number : B-02100  
CaS No. : 7778-50-9  
Brand : Bio-Chem  
REACH No. : This product is a mixture. REACH Registration Number see section 3.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

### 1.3 Details of the supplier of the safety data sheet

Company : Bio-Chem Chemicals  
5455 Nicholson Road, Science Market  
Ambala Cantt, 133001 - Haryana  
+91 82952 41953  
info@biofinechemical.com - www.biofinechemical.com

### 1.4 Emergency telephone

Emergency Phone # : +91 99921 51495 (10.00am - 06.30pm) (Office Hours)

---

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Germ cell mutagenicity (Category 1B), H340  
Carcinogenicity (Category 1B), H350  
Reproductive toxicity (Category 1B), H360FD  
Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H340

May cause genetic defects.

H350

May cause cancer.

H360FD

May damage fertility. May damage the unborn child.

H412

Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P201

Obtain special instructions before use.

P202

Do not handle until all safety precautions have been read and understood.

P273

Avoid release to the environment.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

P308 + P313

IF exposed or concerned: Get medical advice/ attention.

P405

Store locked up.

Supplemental Hazard Statements

none

Restricted to professional users.

Contains: potassium dichromate. May produce an allergic reaction.

### Reduced Labeling (<= 125 ml)

Pictogram



Signal word

Danger

Hazard statement(s)

H340

May cause genetic defects.

H350

May cause cancer.

H412

Harmful to aquatic life with long lasting effects.

H360FD

May damage fertility. May damage the unborn child.

Precautionary statement(s)

P201

Obtain special instructions before use.

P202

Do not handle until all safety precautions have been read and understood.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

P308 + P313

IF exposed or concerned: Get medical advice/ attention.

P405

Store locked up.

Supplemental Hazard Statements

none

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

---

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Component		Classification	Concentration
<b>potassium dichromate</b> Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)			
CAS-No.	7778-50-9	Ox. Sol. 2; Acute Tox. 3; Acute Tox. 2; Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; Resp. Sens. 1; Skin Sens. 1; Muta. 1B; Carc. 1B; Repr. 1B; STOT SE 3; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H272, H301, H330, H312, H314, H318, H334, H317, H340, H350, H360FD, H335, H372, H400, H410 Concentration limits: ≥ 5 %: STOT SE 3, H335; M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 1	≥ 0,3 - < 1 %
EC-No.	231-906-6		
Index-No.	024-002-00-6		
Registration number	01-2119454792-32-XXXX		

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## **SECTION 5: Firefighting measures**

### **5.1 Extinguishing media**

#### **Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

### **5.2 Special hazards arising from the substance or mixture**

Not combustible.

Ambient fire may liberate hazardous vapours.

### **5.3 Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### **5.4 Further information**

Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### **6.2 Environmental precautions**

Do not let product enter drains.

### **6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

### **6.4 Reference to other sections**

For disposal see section 13.

---

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

#### **Advice on safe handling**

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### **7.2 Conditions for safe storage, including any incompatibilities**

#### **Storage conditions**

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Recommended storage temperature see product label.

### **7.3 Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

#### **Ingredients with workplace control parameters**

### **8.2 Exposure controls**

#### **Personal protective equipment**

##### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

##### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: > 480 min

Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: > 480 min

Material tested:KCL 741 Dermatril® L

##### **Body Protection**

protective clothing

##### **Respiratory protection**

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### **Control of environmental exposure**

Do not let product enter drains.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

a) Appearance	Form: liquid Color: yellow
b) Odor	odorless
c) Odor Threshold	Not applicable
d) pH	No data available
e) Melting point/freezing point	No data available
f) Initial boiling point and boiling range	No data available
g) Flash point	Not applicable
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	No data available
k) Vapor pressure	No data available
l) Vapor density	No data available
m) Relative density	No data available
n) Water solubility	at 20 °C soluble
o) Partition coefficient: n-octanol/water	No data available
p) Autoignition temperature	Not applicable
q) Decomposition temperature	No data available
r) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available

### **9.2 Other safety information**

No data available

---

## **SECTION 10: Stability and reactivity**

### **10.1 Reactivity**

No data available

### **10.2 Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

### **10.3 Possibility of hazardous reactions**

Violent reactions possible with:

The generally known reaction partners of water.

### **10.4 Conditions to avoid**

no information available

### **10.5 Incompatible materials**

No data available

### **10.6 Hazardous decomposition products**

In the event of fire: see section 5

---

## **SECTION 11: Toxicological information**

### **11.1 Information on toxicological effects**

#### **Mixture**

#### **Acute toxicity**

Acute toxicity estimate Oral - > 2.000 mg/kg  
(Calculation method)

Acute toxicity estimate Inhalation - 4 h - > 5 mg/l  
(Calculation method)

Acute toxicity estimate Dermal - > 2.000 mg/kg  
(Calculation method)

#### **Skin corrosion/irritation**

No data available

#### **Serious eye damage/eye irritation**

No data available

#### **Respiratory or skin sensitization**

Mixture may produce an allergic reaction.

#### **Germ cell mutagenicity**

Possible mutagen

#### **Carcinogenicity**

No data available

**Reproductive toxicity**

May harm the unborn child.

May impair fertility.

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**11.2 Additional Information**

Not available

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

**Components****potassium dichromate****Acute toxicity**

LD50 Oral - Rat - female - 90,5 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - female - 4 h - 0,083 mg/l

(OECD Test Guideline 403)

Acute toxicity estimate Dermal - Expert judgment - 1.100 mg/kg

**Skin corrosion/irritation**

Skin - Rabbit

Result: Causes burns. - 4 h

(OECD Test Guideline 404)

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Respiratory or skin sensitization**

Patch test: - Human

Result: positive

Remarks:

(IUCLID)

**Germ cell mutagenicity**

May cause genetic defects.

**Carcinogenicity**

Presumed to have carcinogenic potential for humans

**Reproductive toxicity**

May damage the unborn child.

May damage fertility.

**Specific target organ toxicity - single exposure**

May cause respiratory irritation. - Respiratory system

**Specific target organ toxicity - repeated exposure**

Inhalation - Causes damage to organs through prolonged or repeated exposure. -  
Cardio-vascular system

**Aspiration hazard**

No data available

---

**SECTION 12: Ecological information****12.1 Toxicity****Mixture**

No data available

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Other adverse effects**

Discharge into the environment must be avoided.

**Components****potassium dichromate**

Toxicity to fish	LC50 - Danio rerio (zebra fish) - 58,5 mg/l - 96 h Remarks: (ECHA)
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 0,035 mg/l - 48 h Remarks: (ECHA)
Toxicity to algae	static test ErC50 - Selenastrum capricornutum (green algae) - 0,233 mg/l - 72 h Remarks: (ECHA)
Toxicity to bacteria	IC50 - activated sludge - 30 mg/l - 3 h Remarks: (in analogy to similar products) (ECHA)

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: -

IMDG: -

IATA: -

### 14.2 UN proper shipping name

ADR/RID: Not dangerous goods

IMDG: Not dangerous goods

IATA: Not dangerous goods

### 14.3 Transport hazard class(es)

ADR/RID: -

IMDG: -

IATA: -

### 14.4 Packaging group

ADR/RID: -

IMDG: -

IATA: -

### 14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

### 14.6 Special precautions for user

#### Further information

Not classified as dangerous in the meaning of transport regulations.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### Authorisations and/or restrictions on use

REACH - Restrictions on the manufacture, :  
placing on the market and use of certain  
dangerous substances, preparations and articles  
(Annex XVII)

#### National legislation

Seveso III: Directive 2012/18/EU of the : Not applicable  
European Parliament and of the Council on the  
control of major-accident hazards involving  
dangerous substances.

**Other regulations**

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

**15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

---

**SECTION 16: Other information****Full text of H-Statements referred to under sections 2 and 3.**

H272	May intensify fire; oxidizer.
H301	Toxic if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350	May cause cancer.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.